

2002-2013 Fork Model	Oil Type	Location	Volume (cc)
2002-2006 F80 (O/B R, RL & RLT dampers)	10wt. Red	Damper-side oil bath	150
	10wt. Red	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2003-2006 F80 (O/B X damper)	FOX 7 wt.	Damper-side oil bath	150
	FOX 7 wt.	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2007-2009 F80 R (O/B R damper)	10wt. Red	Damper-side oil bath	150
	10wt. Red	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2007-2009 F80 (O/B RL, RLC & Remote dampers)	10wt. Red	Damper-side oil bath	150
	10wt. Red	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2010-2012 F80 (FIT RL, RLC & Remote dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	20
	20wt. Gold	Spring-side oil bath	20
2010-2012 F80 & ALPS (O/B R, RL & Remote dampers)	Float Fluid	Air Chamber	10
	10wt. Red	Damper-side oil bath	150
	10wt. Red	Spring-side oil bath	20
2010-2012 F80 & ALPS (O/B R, RL & Remote dampers)	Float Fluid	Air Chamber	10
	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	20
2011-2012 F80 (FIT Terralogic damper)	20wt. Gold	Spring-side oil bath	20
	Float Fluid	Air Chamber	10
	10wt. Red	Damper	
2002-2009 F100 & F90 (O/B R, RL, RLC, RLT & Remote dampers)	10wt. Red	Damper-side oil bath	155
	10wt. Red	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2003-2006 F100 & F90 (O/B X damper)	FOX 7 wt.	Damper-side oil bath	155
	FOX 7 wt.	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2010-2012 F90 (FIT RL, RLC & Remote dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	20
	20wt. Gold	Spring-side oil bath	20
2010-2012 F90 (FIT RL, RLC & Remote dampers)	Float Fluid	Air Chamber	5
	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	20
2010-2012 F100 (FIT RL, RLC & Remote dampers)	20wt. Gold	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
	10wt. Red	Damper	
2010-2012 "831" (FIT RLC damper)	20wt. Gold	Damper-side oil bath	20
	20wt. Gold	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2010-2012 F100, F90 & ALPS (O/B RL & Remote dampers)	10wt. Red	Damper-side oil bath	155
	10wt. Red	Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2011-2012 F100 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	20
	20wt. Gold	Spring-side oil bath	20
2011-2012 F100 (FIT Terralogic damper)	Float Fluid	Air Chamber	5

2008-2009 F29 100 & 80 (O/B RL, RLC & Remote dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 F29 100 & 80 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 F29 100, 80 & ALPS (O/B RL & Remote dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2011-2012 F29 80 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2011-2012 F29 100 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2009 F29 120 (O/B RL & RLC dampers)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 F29 120 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 F29 120 & ALPS (O/B RL & Remote dampers)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2011-2012 F29 120 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2011-2012 TALAS 29 120 (O/B RL damper)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2012 TALAS 29 120 (FIT RLC damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2012 TALAS 29 120 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2005-2012 FLOAT & ALPS 120, 130 & 140 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2007-2009 F120, FLOAT 130 & 140 (O/B Remote dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 F120 (FIT RL, RLC & Remote dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2011-2012 F120 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5

2006 FLOAT 130 XTT (O/B Trail-tune damper)	FOX 7 wt.	Damper-side oil bath	135
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 FLOAT 130 & 140 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 FLOAT 150 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010-2012 FLOAT & ALPS 150 (O/B RL & RLC dampers)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2003-2006 TALAS 125 & 130 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	10
	Float Fluid	IFP Chamber	3
		Main Chamber	5
		Negative Chamber	3
2006 TALAS 130 XTT (O/B R, RL & RLC dampers)	FOX 7 wt.	Damper-side oil bath	135
		Spring-side oil bath	10
	Float Fluid	IFP Chamber	3
		Main Chamber	5
		Negative Chamber	3
2007-2008 TALAS 130 & 140 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	10
	Float Fluid	IFP Chamber	3
		Main Chamber	5
		Negative Chamber	3
2009 TALAS 140 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2010-2012 TALAS 140 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2010-2012 TALAS 140 (O/B R & RL dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2012 TALAS 140 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2009-2012 TALAS 150 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2010-2012 TALAS 150 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2012 TALAS 150 (FIT Terralogic damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3

2002-2006 Vanilla 100 & 130 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	30
2007-2010 Vanilla 140 (O/B R, RL & RLC dampers)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	30
2010 Vanilla 140 (FIT RL & RLC dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
2011-2012 32 Talas 29" 120 (O/B RL damper)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2012 34 Float 29" 140 (O/B RL damper)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Float 26" 80-100 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	20
		Spring-side oil bath	20
	Float Fluid	Air Chamber	5
2013 32 Float 26" 120 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Float 26" 130 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Float 26" 140-150 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Float 29" 80-100 (O/C CTD damper)	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Float 29" 120-130 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 32 Talas 26" 140-150 (FIT CTD damper)	20wt. Gold	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2013 32 Talas 26" 140-150 (O/C CTD damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2012-2013 32 Talas 29" 120 (FIT RL, RLC, CTD & Terralogic dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2013 32 Talas 29" 120 (O/C CTD damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	10
	Float Fluid	Main Chamber	3
		Negative Chamber	3

2012-2013 34 Float 29" 140-150 (FIT: CTD, RLC, RL, Remote damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 34 Float 29" 130-150 (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 34 26" Float 150-160 (FIT CTD damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 34 26" 150-160; 27.5" (650b) 130-160 Float (O/C CTD damper)	10wt. Red	Damper	
	10wt. Red	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 34 26", 27.5" (650b) TALAS 160 (FIT CTD damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2012-2013 34 TALAS 29 140-150 (FIT: CTD, RLC, RL & Remotes)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2012 34 TALAS 29 140 (O/B RL damper)	10wt. Red	Damper-side oil bath	165
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2005-2008 36 TALAS 150 & 160 (FIT R, RC2 dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	IFP Chamber	3
		Main Chamber	5
Negative Chamber		3	
2009 36 TALAS 160 (FIT R, RC2 dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2010 & 2013 36 TALAS 160 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2010-2013 36 TALAS 160 (O/B R damper)	10wt. Red	Damper-side oil bath	155
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2011-2012 36 TALAS 160 (FIT RLC damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
Negative Chamber		3	
2007-2009 36 FLOAT 160 (FIT R, RC2 dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2010 36 FLOAT 160 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5

2011-2012 36 FLOAT 160 (FIT RLC damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2013 36 FLOAT 160 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
2010-2013 36 FLOAT 160, 130 & 100 (O/B R damper)	10wt. Red	Damper-side oil bath	155
		Spring-side oil bath	30
	Float Fluid	Air Chamber	5
2006-2010 36 VAN 160 (FIT R & RC2 dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
2011-2013 36 VAN 160 (O/B R damper)	10wt. Red	Damper-side oil bath	155
		Spring-side oil bath	30
2011-2013 36 VAN 160 (O/B R damper EUR)	10wt. Red	Damper-side oil bath	180
		Spring-side oil bath	30
2011-2013 36 VAN 160 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	30
		Spring-side oil bath	30
2011-2013 36 TALAS 170 & 180 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	40
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2013 36 TALAS 170 & 180 (O/B R damper)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	15
	Float Fluid	Main Chamber	3
		Negative Chamber	3
2011-2013 36 FLOAT 170 & 180 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	40
		Spring-side oil bath	40
	Float Fluid	Air Chamber	5
2011-2013 36 FLOAT 170 & 180 (O/B R damper)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	40
	Float Fluid	Air Chamber	5
2011-2013 36 VAN 170 & 180 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	40
		Spring-side oil bath	40
2011-2013 36 VAN 170 & 180 (O/B R damper)	10wt. Red	Damper-side oil bath	160
		Spring-side oil bath	40
2011-2013 36 VAN 170 & 180 (O/B R damper EUR)	10wt. Red	Damper-side oil bath	220
		Spring-side oil bath	40
2005-2009 40 (FIT R & RC2 dampers)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	50
		Spring-side oil bath	50
2010 40 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	50
		Spring-side oil bath	50
2011-2013 40 (FIT RC2 damper)	10wt. Red	Damper	
	20wt. Gold	Damper-side oil bath	50
		Spring-side oil bath	50
2013 40 R (O/B R damper)	10wt. Red	Damper-side oil bath	250
		Spring-side oil bath	50